

# COVID-19 ROUTINE CARE PPE GUIDELINES

Purpose: To ensure appropriate use of PPE for PUIs or patients with confirmed COVID-19 disease

## ROUTINE PPE REQUIREMENTS

The following PPE is required for routine patient care:

- Gown
- N95 Mask
  - OR CAPR/PAPR **only** if N95 Fit Testing was Failed
- Goggles or Face Shield
- Gloves

[Click here](#)  
For 9-minute  
All PPE Video



Scan for  
CDC PPE  
Video

## PPE DONNING SEQUENCE: Putting on PPE

Occurs outside of patient room



[Click here](#)  
For 4 minute  
Donning PPE  
Video




Scan for  
Donning  
PPE Video

## PPE DOFFING SEQUENCE: Removing PPE

Perform hand hygiene between steps to prevent contamination


Occurs inside of patient room



Unless soiled, used PPE can be disposed of in a non-biohazard waste container

Occurs in anteroom

**If there is no anteroom, this occurs outside of the patient room**



[Click here](#)  
For 5 minute  
Doffing PPE  
Video



Scan for  
Doffing  
PPE Video

\*[Click here](#) for "Recommendations for N95 and Face Mask Extended Use and Reuse" Document scroll to page 4-5 for guidance for extended use in drive-thru testing centers and/or dedicated COVID-19+ units or reuse in moderate risk for exposure

PPE: Personal Protective Equipment PUI: Persons Under Investigation